

No.: CE/2015/A2653B Date: 2015/11/10

Page: 1 of 13

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

## The following samples was/were submitted and identified by/on behalf of the applicant as:

Sample Submitted By : Vale Canada Limited

Sample Description : VALE Electrolytic Nickel Plating Product (full size cathode, 4x4, 1x1)

Sample Receiving Date : 2015/10/15

**Testing Period** : 2015/10/15 TO 2015/10/22 AND 2015/11/05 TO 2015/11/10

### **Test Requested**

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample.

(2) Please refer to next pages for the other item(s).

: Please refer to next page(s). Test Result(s)

Conclusion

(1) Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS and amending Directive (EU) 2015/863.

\* This report is added testing and combined with CE/2015/A2653A \*



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report No.: CE/2015/A2653B Date: 2015/11/10

Page: 2 of 13

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

#### Test Result(s)

: SILVER COLORED METAL PART NAME No.1

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and	2	n.d.	100
Lead (Pb)	mg/kg	performed by ICP-AES.	2	n.d.	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)	**	With reference to IEC 62321: 2008 and performed by Boiling water extraction (UV-VIS) Method.#	#	Negative	#
Sum of PBBs	mg/kg		-	n.d.	1000
Monobromobiphenyl	mg/kg		5	n.d.	-
Dibromobiphenyl	mg/kg		5	n.d.	-
Tribromobiphenyl	mg/kg		5	n.d.	-
Tetrabromobiphenyl	mg/kg		5	n.d.	-
Pentabromobiphenyl	mg/kg		5	n.d.	-
Hexabromobiphenyl	mg/kg		5	n.d.	-
Heptabromobiphenyl	mg/kg	With reference to IEC 62321-6: 2015 and	5	n.d.	-
Octabromobiphenyl	mg/kg		5	n.d.	-
Nonabromobiphenyl	mg/kg		5	n.d.	-
Decabromobiphenyl	mg/kg		5	n.d.	-
Sum of PBDEs	mg/kg	performed by GC/MS.	-	n.d.	1000
Monobromodiphenyl ether	mg/kg		5	n.d.	-
Dibromodiphenyl ether	mg/kg		5	n.d.	-
Tribromodiphenyl ether	mg/kg		5	n.d.	-
Tetrabromodiphenyl ether	mg/kg		5	n.d.	-
Pentabromodiphenyl ether	mg/kg		5	n.d.	-
Hexabromodiphenyl ether	mg/kg		5	n.d.	-
Heptabromodiphenyl ether	mg/kg		5	n.d.	-
Octabromodiphenyl ether	mg/kg		5	n.d.	-
Nonabromodiphenyl ether	mg/kg		5	n.d.	-
Decabromodiphenyl ether	mg/kg		5	n.d.	-



Date: 2015/11/10

Page: 3 of 13

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	0.1
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	0.1
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	0.1
DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	0.1
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49- 1)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	-
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48- 0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	-
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS.	5	n.d.	_
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-
Antimony (Sb)	mg/kg	With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.	-
PVC	**	Analysis was performed by FTIR and FLAME Test.	-	Negative	-



Date: 2015/11/10

Page: 4 of 13

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	-
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg		50	n.d.	-
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n.d.	-
Halogen-lodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	-

#### Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. \*\* = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. # = a. Positive means the presence of CrVI on the tested areas
  - b. Negative means the absence of CrVI on the tested areas

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm<sup>2</sup> tested areas.

## PFOS Reference Information: POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².




No.: CE/2015/A2653B Date: 2015/11/10

Page : 5 of 13

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. ( Cr<sup>6+</sup> test method excluded )
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



#### Note\*\* (For IEC 62321)

- (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) For metallic material, add pure water and heat to boiling.



Date: 2015/11/10


Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada



Page: 6 of 13

## Analysis flow chart for determination of PVC in material

- Name of the person who made measurement: Roy Lin
- Name of the person in charge of measurement: Troy Chang






Date: 2015/11/10

Page: 7 of 13

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

- 1) These samples were dissolved totally by pre-conditioning method according to below flow
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang

## Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO <sub>3</sub> , HCl, HF, H <sub>2</sub> O <sub>2</sub>
Glass	HNO₃/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO <sub>3</sub>
Plastic	H <sub>2</sub> SO <sub>4</sub> , H <sub>2</sub> O <sub>2</sub> , HNO <sub>3</sub> , HCl
Others	Added appropriate reagent to total digestion




No.: CE/2015/A2653B Date: 2015/11/10

Page: 8 of 13

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

### PFOA/PFOS analytical flow chart of Ultrasonic extraction (LC/MS) procedure

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang





No.: CE/2015/A2653B Date: 2015/11/10


Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada



Page: 9 of 13

### **HBCDD** analytical flow chart

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang





No.: CE/2015/A2653B Date: 2015/11/10


Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada



Page: 10 of 13

## Analytical flow chart of halogen content

- Name of the person who made measurement: Rita Chen
- Name of the person in charge of measurement: Troy Chang





Date: 2015/11/10

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada




Page: 11 of 13

## Analytical flow chart of phthalate content

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang

## [Test method: EN 14372]





**Test Report** No.: CE/2015/A2653B Date: 2015/11/10

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada




Page: 12 of 13

### **PBB/PBDE** analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang

First testing process ---Optional screen process .... Confirmation process





No.: CE/2015/A2653B Date: 2015/11/10

Page: 13 of 13

Vale Canada Limited 200 Bay Street, Royal Bank Plaza, Suite 1600, South Tower, P.O. Box 70, Toronto, Ontario, M5J 2K2, Canada

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

CE/2015/A2653



\*\* End of Report \*\*